


Baffle Ceiling System Awaits!





Wood Polymer Composite
Create stunning ceilings with enhanced properties that attract attention and add a feel to your space. Baffles provide you with easy repair & maintenance. Partially open or fully closed ceiling can be designed. Experience a lifetime of convenience with our easy-to-install, relocatable product.





Features:


termite proof

fire retardant



water proof

sound proof

quick intallation



INSTALLATION METHOD





TEAK

(LC8065)

Specification :
Material : WPC

Size : 90mm*50mm

Size : 2900mm

Length 60mm*50mm

Application :

Interior Ceilings & Walls



WALNUT

(LC8085)

Specification :

Material : WPC

Size : 90mm*50mm

Size : 2900mm

Length : 60mm*50mm

Application :

Interior Ceilings & Walls



OAK

(LC807)

Specification :

Material : WPC

Size : 90mm*50mm

Size : 2900mm

Length 60mm*50mm

Application :

Interior Ceilings & Walls



WENGE

(LC 8017)

Specification :

Material : WPC

Size : 90mm*50mm

Size : 2900mm

Length 60mm*50mm

Application :

Interior Ceilings & Walls



CHARCOAL BLACK

(LC 6011)

Specification :

Material : WPC

Size : 90mm*50mm

Size : 2900mm

Length 60mm*50mm

Application :

Interior Ceilings & Walls

ACCESSORIES

We offer all tit bits required for hassle free installation



BAFFLE CLIP

Specification :

Material : Steel



METAL KEEL

Specification :

Material : Steel

Length : 3meter

Gap options :

A) 50mm (Between 2 tubes)

B) 100mm (Between 2 tubes)



SUSPENSION ROD

Specification :
Material : Steel